scholixonline.org

Research Article

Cite this article: Siniša Franjić, The Goal of Epidemiology is the Prevention of Diseases and the Preservation of Health

Received: 23 October 2026
Revised: 09 November 2026
Accepted: 10 November 2026

Keywords:

Epidemiology, Goals, Evidence, Prevention, Health

Corresponding author

Siniša Franjić

© The Author(s), 2026. Published by Scholix publishers. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (https://creativecommons.org/licenses/by/4.0/), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.

The Goal of Epidemiology is the Prevention of Diseases and the Preservation of Health

Siniša Franjić, Independent Researcher

ABSTRACT

Epidemiology is the branch of medicine that studies the occurrence of diseases and health disorders in human populations. It is concerned with determining the causes, risk factors for diseases, the prevalence of diseases in a given area and in a given population, and the factors that influence the occurrence of diseases. The goal of epidemiology is the prevention of diseases and the preservation of health. Epidemiology is considered a fundamental set of methods in all public health research and is applied in clinical medicine to determine the risk factors for diseases and determine the best health interventions in clinical practice. Epidemiology, as a science, deals with the factors that influence the health and disease of individuals and in this sense serves as the basis and logical basis for interventions in the interests of public health and for preventive medicine.

INTRODUCTION

By turning to fundamental therapeutic phrasing, we can learn the strict definition of the term the study of disease transmission [1]. The prefix, epi-, implies “on, upon, befall.” The root, demo, implies “people, population, man,” and the postfix, -ology, implies “the consider of.” If taken actually, the study of disease transmission is “the consider of that which happens to man.”

Epidemiology, frequently considered the center scienceof public health, can be more precisely characterized as the ponder of the dissemination and determinants of health-related states or occasions in indicated populaces. In other words, disease transmission experts consider how frequently disease happens in diverse populace bunches and why. In the study of disease transmission, the essential units of concern are groups of people, not partitioned people. For this reason, considering in epidemiologic terms frequently appears remote to clinicians prepared to think of the special issues of each person persistent. By considering groups of people, epidemiologic data can be utilized to arrange and assess techniques to avoid ailment and as a direct in the administration of patients in whom illness has as of now developed.

Public health has found the standards of the study of disease transmission valuable in helping with its mission of ensuring the health of populaces and groups. Common employments of the study of disease transmission incorporate, but are not restricted to

- the ponder of the history of disease.
- evaluating and assessing public health and clinical health services.
- deciding the cause and source of disease.
- deciding what diseases, conditions, wounds, or disorders cause ailment, health issues, or mortality in a community.
- complementing and completing the clinical picture of disease.

Role

Epidemiology has had a diverse part to play in examining the causes of the illnesses common in more seasoned age, such as cancer and heart disease, which are very diverse from irresistible infections or intense harming [2]. Until the mid-20th century, these conditions were thought of as a characteristic portion of aging, and no one thought to see for causes or attempted to avoid them.

Cancer, heart infection, and other diseases of aging do not have single causes. They tend to create over a period of time, are regularly constant and impairing or maybe than quickly fatal, and cannot be avoided or cured by any immunization or "magic bullet." The best trust for ensuring the open against these diseases is to learn how to anticipate them, or at slightest how to delay their onset. Anticipation, be that as it may, requires an understanding of the cause or causes of a illness and the variables that impact how it advances. The study of disease transmission has made major commitments to the current understanding of the causes of heart disease and a few cancers and what can be done to avoid them. Epidemiologic thinks about will proceed to surrender data on how individuals can ensure themselves against cancer, Alzheimer's infection, and other afflictions of aging.

Epidemiologic ponders of these incessant maladies are much more complicated and troublesome than examinations of intense flare-ups of irresistible infections or harmful defilement. But for the clear interface between smoking and lung cancer, most unremitting illnesses cannot be ascribed to a single cause. There may be numerous diverse components that play a portion in causing a illness, components that disease transmission experts call "risk factors." The long period over which these infections create also contributes to the trouble of deciding the causative variables. Disease transmission experts must decide which of a person's numerous encounters over the past decades are significant, and what noteworthy exposures might have happened 10 or 20 years prior that may have expanded the person's chance of creating the illness today.

Evidence

Public health has a complicated relationship with evidence [3]. Like pharmaceutical and other health sciences, open health endeavors and indicates to be 'evidence-based', propped up by the study of disease transmission, the putative 'basic science' of public health. Like other health sciences, an conventionality with respect to a pecking order of prove overwhelms, privileging prove produced by means of randomized controlled trials, efficient audits, and meta-analyses. Public health decision-making 'grounded' in the prove base and its progression of prove has a polish of directing clear of esteem judgements and other shapes of prove inclined to inclination and mistake and tends to darken the political and moral measurements of public health decision-making. Expressly establishing choices in values or other shapes of information may be criticized as being overtly 'politicizing' public health choices, where choices ought to instep be 'based on the evidence'.

Yet, by ideals of the nature of public health challenges and the intercessions essential to address them, it is frequently not conceivable to conduct randomized controlled trials to make causal inductions or assess public health mediations. Evidence-based decision-making in open wellbeing is subsequently challenged by the reality that causal intuitive regularly cannot be enough recognized, prove may not be accessible, and/or choices frequently require to be made early and rapidly in arrange to maintain a strategic distance from critical hurt to the public's health.

While evidence-based decision-making and the prove progression is unmistakable in public health, a few grasp a wide extend of disciplinary approaches as constituting open health's 'basic sciences', extending from political science and humanism to human studies and financial matters. Others grasp the part of the humanities in public health. And whereas prove is still considered imperative since prove makes a difference to back defenses for choices, much like
in medicine and other health sciences, the concept of evidence-based decision-making and the prove pecking order is problematized from these other disciplinary points of view. Given that a number of contemplations and results are imperative to consider in arrangement wrangles about, a move has happened in later years to recognize that prove is fundamental but not adequate in public health decision-making and that public health ought to point instep to be evidence-informed.

Alcohol

Extensive organic and epidemiological investigate on the relationship between liquor utilization, brain health, cognitive working, and dementia hazard has been conducted [4]. The prove from creature models shows that indeed direct liquor utilization can have hindering impacts on the brain, but overwhelming liquor utilization and binge drinking have serious results to the health of the brain. Devouring little sums of liquor may not have any negative impacts on the brain and may indeed advance the era of modern neurons in the hippocampus and restrain the seriousness of neuronal misfortune that happens with age. This is backed by some epidemiological considers that have watched light to direct liquor utilization to be related with bigger add up to brain volume and territorial brain volumes and less white matter injuries. Be that as it may, the discoveries from epidemiological considers cannot be deciphered as showing that there is a causal relationship between liquor utilization and cognition, but there is prove from creature models that liquor may have a causal impact on cognition. Conceivable instruments incorporate expanded cell multiplication in the hippocampus and the antioxidative properties of liquor that constrain the negative impacts of oxidative stretch on the brain.

Epidemiological thinks about have reliably watched that light to direct liquor utilization, in specific during old age, is related with diminished hazard for dementia and protected cognitive working. Overwhelming liquor utilization is related with destitute cognitive results and, in a few cases, wernicke-korsakoff disorder. The relationship between liquor utilization and cognition is profoundly complex and may vary concurring to dementia sort, sex, and hereditary components. Whereas current prove from epidemiological considers demonstrates that devouring light to direct sums of liquor, in specific wine, does not contrarily affect cognition and in numerous cases is related with cognitive health, adults who do not expend liquor ought to not be empowered to increment their liquor utilization until advance investigate clarifies these connections. Irregularities between ponders on how liquor utilization categories are characterized make it troublesome to decide the "optimal" sum of liquor utilization to anticipate dementia. It is likely that the ideal sum of liquor changes agreeing to a person's sex, as well as hereditary, physiological, behavioral, and health characteristics, making the issue amazingly complex.

Tobacco

Smoking is also one of the best three chance variables fundamental worldwide burden of illness [5]. It is mindful for a considerable larger part of cases of lung cancer and chronic obstructive pulmonary disease (COPD), and most smokers die either from these

respiratory diseases or from ischaemic heart infection. Smoking also causes cancers of the upper respiratory and gastrointestinal tracts, pancreas, bladder and kidney, and increments dangers of fringe vascular disease, stroke and peptic ulceration. Maternal smoking is an imperative cause of fetal development hindrance. Additionally, there is expanding prove that inactive ('second hand') smoking has unfavorable impacts on cardiovascular and respiratory health.

The decay in smoking rates in numerous high-income nations has been accomplished not as it were by caution individuals of the health dangers but too expanded tax collection of tobacco, prohibiting of publicizing, forbidding of smoking in open places and bolster for smoking cessation to keep up a decrease in smoking rates. Be that as it may, smoking rates stay tall in numerous poorer regions and are expanding among young women. In numerous low-income nations, tobacco companies have found unused markets and rates are rising.

There is a complex pecking order of frameworks that connected to cause smokers to start and keep up their propensity. At the atomic and cellular levels, nicotine acts on the apprehensive framework to make reliance and acts to keep up the smoking propensity. There are moreover solid influences at the individual and social level, such as youthful female smokers being persuaded to 'stay thin' or 'look cool' and peer weight. Other vital impacts in the more extensive environment incorporate cigarette publicizing, with the promoting budget of the tobacco industry being much more prominent than that of health administrations. Techniques to offer assistance people stopped smoking (such as nicotine substitution treatment, anti-smoking exhortation and behavioral back) are cost-effective and shape an imperative portion of the by and large anti-tobacco strategy.

Opioids

Addiction, such as opioid use disorder (OUD), is a incessant, essential disease of the brain, affected by hereditary qualities and environment, with cycles of backslide and reduction, and shows as a compulsive drive to utilize a substance in spite of hurtful results [6]. Drugs of habit inspire and improve the fulfilling, pleasurable reaction of dopamine in the brain so that expanding sums of drugs are required over time to feel 'normal' as the brain adjusts to these biochemical disturbances (ie, resilience). These changes result in watched behaviors, such as compulsion and impulsivity. In spite of this, substance use disorder (SUD), like other unremitting illnesses such as diabetes and high blood pressure, is treatable but incurable.

Sustained treatment can result in the recuperation of brain work, normalization of brain natural chemistry, and the determination of tricky behaviors. Like other unremitting infections (eg, waxing and winding down blood sugar control in people with diabetes), periods of reduction and backslide (returning to medicate utilize) are an anticipated portion of the infection course. Early reduction is characterized as going without from sedate utilize for at slightest 3 months, whereas supported abatement is characterized as going without for 12 months or more. For a few individuals who utilize drugs of enslavement, abatement is the objective. For others, a hurt decrease approach with diminished or more secure utilize is the objective. A few individuals who utilize drugs of compulsion may not be prepared to make any changes to utilize. The approach to compulsion treatment ought to be patient-centered, multi-pronged, nonjudgmental, and fair; keeping the patient's objectives in the bleeding edge best advances continuous engagement in healthcare.

Diabetes

The boundaries to diabetes control are multifactorial and complex in both created and creating nations [7]. There is significant prove of the presence of the hole in the level of diabetes mellitus and its complications, avoidance and control measures in low- and middle-income nations. By and large, the health frameworks of low- and middle-income nations that are most noticeably awful influenced by the expanding burden of diabetes and other unremitting illnesses are not well-prepared to bargain with the gigantic burden of disease.

In nations such as Indonesia where the fast increment in the predominance of diabetes is coincidentally went with by quick financial and demographic advancement, are confronted with four key issues in diabetes control: need of mindfulness around diabetes in the common open and among a few healthcare faculty and policymakers; imbalance of healthcare supply and request coming about from an growing persistent populace and as well few diabetes masters; need of assets in the open healthcare framework and among the Indonesian populace; as well few individuals accepting legitimate treatment or affront, coming about in poor-quality care.

Another challenge in diabetes control is that diabetes causes other complications such as cardiovascular disorders (counting stroke, and heart attack, among others), kidney failure, diabetic retinopathy, diabetic neuropathy and peripheral neuropathy, which are mindful for serious horribleness and mortality. Treatment of diabetes and its complications is a challenge in nations such as India owing to a few issues, counting sociocultural variables, need of suitable offices for diabetes care, an lacking health framework, destitute observing and follow-up of patients, and issues in executing successful administration and instructive strategies.

Some of the measures taken by a few nations from which others can learn incorporate the taking after: creating a national diabetes procedure; setting up information frameworks and performance-management forms; overhauling primary-care systems; utilizing inventive healthcare models to increment screening and diagnosis, especially in inaccessible ranges; updating the aptitudes of and giving motivating forces to healthcare-delivery experts; engaging patients to make strides adherence to treatment; expanding mindfulness of solid living and empowering way of life changes; creating approaches to advance and uphold more beneficial lifestyles.

Dental Practice

Many times dental public health is called community dental health [8]. Both terms are rectify and share comparative implications. A few consider community health to be a component of public health; others utilize the terms traded. The major contrast between the terms is that community centers on a particular gather of individuals while the essence of open is thought to be more extensive reaching.

The conveyance of dental administrations for people and the common populace at national and local levels includes a assortment of educate, foundations, and exercises. Dental public health capacities require to be secured and actualized over all ranges to guarantee the same level of scope, quality, and execution of services.

Dental public health hone takes after steps comparative to those taken by a dental hygienist in the private segment, but the center is basically on a populace, counting those who do not look for care, or maybe than fair one quiet who presents at the planned time. Appraisal is the center public health work, and the dental public health professional collects the vital data to recognize community

issues, comparative to an person dental hygienist diagnosing a patient's condition. Fair as a clinical dental hygienist creates a treatment arrange after the diagnosis, the dental public health specialist employments the data from the community evaluation to create arrangements and programs to address the problem(s). Guaranteeing dental public health is inalienable to a dental hygienists' giving care: It includes the conveyance of the administrations to the community.

Public health, in spite of the fact that an ADHA (American Dental Hygienists' Association) specificied part, is inserted in the clinician, teacher, analyst, director, corporate and entrepeneurroles of a dental hygienist, since public health is including in health care. An teacher may educate in a open health program or teach guardians during an Early Head Begin domestic visit. A analyst may ponder the relationship between diabetes and periodontal illness, while an chairman may choose to work in a administrative position in a legislative organization. Numerous dental hygienists work in the corporate parts in the private dental supply and protections industry, offering and teaching dental suppliers on items, protections frameworks and modalities. An business visionary starts unused dental endeavors and practices.

Goals

The objectives of the study of disease transmission are to avoid, control, and in uncommon cases, to kill infections and wounds [9]. Anticipation suggests the arranging for and taking of activity to anticipate or thwart the occurrence of an undesirable occasion, and is in this manner more alluring than mediation, the taking of activity amid an occasion. For example, immunizing to avoid a illness is best to taking an antibiotic to cure one.

Control is a common term for the control of a illness and can incorporate both avoidance and mediation measures. The term control is frequently utilized to cruel the restricting of transmission of a communicable infection in a populace. Annihilation is the evacuating or add up to end of a disease from the human populace. It is an tricky objective, one that is as it were once in a while accomplished in public health. Smallpox is the as it were communicable disease that has been eradicated. A few characteristics of smallpox made destruction conceivable: People are the as it were store, the disease is unmistakable in no time after contamination so people can be distinguished some time recently tainting a expansive number of other individuals, and contamination comes about in long lasting immunity.

Prevention

A essential objective of health care is to avoid infection or to identify it early sufficient that mediations will be more compelling [10]. The extreme objective of preventive techniques is to avoid premature death. Be that as it may, as life span has expanded drastically around the world over the final century (generally as a result of public health practices), expanding accentuation is set on avoidance for the reason of protecting quality of life and amplifying the healthspan, not fair the life span. Centering on health advancement, or maybe than fair illness avoidance, may too give more prominent inspiration for pts to seek after way of life changes or follow to clinician suggestions. Engaging pts with procedures to accomplish positive health objectives after talking about dangers (i.e., smoking) can give more compelling adherence and superior long-term outcomes.

In common, screening is most viable when connected to moderately common disarranges that carry a huge disease burden and have a long idleness period. Early discovery of illness has the potential to diminish both dreariness and mortality; in any case, screening asymptomatic people carries a few hazard. False-positive comes about can lead to superfluous research facility tests and intrusive methods and can increment pt anxiety.

From the viewpoint of life course the study of disease transmission, natural ponders of early life encounters have centered to a great extent on pre-birth or newborn child life, and have driven to a few clear understanding that periods of fast organ framework improvement amid pregnancy and childhood are basic to afterward adult health [11]. A later efficient survey illustrated the impact of periconceptional maternal way of life on clinical biomarkers and highlights of placental advancement and work amid pregnancy. A blend of existing experimental prove sets that corpulence scourge in childhood may be the result of non-genetic developmental forms modifying the interaction between maternal vitality assets (e.g., adiposity and body mass),maternal designs of physical movement, and the following metabolic sequelae of pregnancy that may influence subsequent fetal results. A population-based birth cohort appeared cardiovascular chance variables (miniaturized scale- and macro-vascular) followed from mother to child, notwithstanding of the course of pregnancy. From the point of view of Developmental Origins of Health and Disease (DOHaD) hypothesis, coronary heart infection and sort 2 diabetes may start in early life through two broad organic marvels, to be specific compensatory development and formative versatility. Hence, the profound understanding for affiliations between undesirable way of life behaviors amid pregnancy and descendant health dangers at birth and early childhood may be exceptionally accommodating to make strides maternal well-being and avoid sibling antagonistic consequences.

Telemedicine

From its investigation of healthcare patterns, the inquire about group found that, whereas burgeoning healthcare investing, somewhat driven by the maturing society, requires encourage manage-ment, efficiency needs to be moved forward [12]. So also, the analysts also recognized a design whereby progressively less prepared restorative staff are being called on to perform more and more complex assignments. Elective trade models, care frameworks and fetched models are as of now beneath advancement by both approach creators and private divisions, such as patients being advertised treatment at domestic or maybe than having to remain in clinic overnight. People, family individuals and communities will be empowered by approach creators to take more proprietorship of their claim well-being. The 'caregiver economy' is operational, created and extended by approach producers and businesses. To reinforce and enhance the care instruction is basic to back the modern social needs.

On the other hand, more and more electronic gadgets are interfacing everybody's regular lives to each other. 'Life-sharing' implies sharing other people's lives by communicating encounters and exercises through different communication channels. They can be utilized to diminish the forlornness of the elderly and upgrade the sense of having a place. Depending on the individual's needs, diverse gadgets, devices and administrations may be chosen to give suitable information collection and checking to avoid illness and improve sound living. Telemedicine has met with tall acknowledgment from both patients and specialists, and encourage advancement of the fundamental framework is quickly continuous. Besides, expectant diagnosis and anticipation will play a more vital part in taking care of a more beneficial and dynamic maturing populace. It can also be a key supporter for age-friendly cities.

In the innovation space, the inquire about group has seen critical propels in on-site research facility examination innovations. These

advances empower healthcare experts to give superior quiet administration and quicker investigation, and they guarantee advanced clinical results. These gadgets ought to gotten to be simpler to utilize in future, which would also render the gadgets more strong in terms of capacity and utilization. For illustration, lab-on-a-chip innovation permits methods which already required a chemical explanatory research facility to be performed on a smaller than expected scale, inside a versatile or handheld gadget. This scaled down innovation improves the comfort of testing and diminishes the taken a toll of examination. By implies of these computerized devices, healthcare technolo-gies will get to enormous information and make noteworthy advance commitments to customized healthcare, making exactness medicine a reality.

Conclusion

Epidemiology is a scientific discipline in the field of medicine that is applied to discovering the causes or sources of diseases, disorders, syndromes, conditions or circumstances that cause pain, injury, disability or even death in individuals or groups of people. It serves as the foundation and rationale for interventions made in the interest of public health and preventive medicine. It is considered the basic methodology of public health research and relies heavily on evidence-based medical data to identify risk factors and determine optimal treatment approaches in clinical practice.

References

1. Phipps, K. (2010.): „Concepts in Epidemiology“ in Mason, J.: „Concepts in Dental Public Health, Second Edition“, Lippincott Williams & Wilkins, Wolters Kluwer Business, Baltimore, USA, pp. 178. – 179.
2. Schneider, M. J. (2017.): „Introduction to Public Health, Fifth Edition“, Jones & Bartlett Learning, Burlington, USA, pp. 49.
3. Kothari, A.; Smith, M. J. (2022.): „Public Health Policymaking, Politics, and Evidence“ in Fafard, P.; Cassola, A.; de Leeuw, E. (eds): „Integrating Science and Politics for Public Health“, Palgrave Macmillan, Springer Nature Switzerland AG, Cham, Switzerland, pp. 61. – 62.
4. Downer, B.; Boron, J. B. (2016.): „Alcohol and Cognition“ in Kuerbis, A.; Moore, A. A.; Sacco, P.; Zanjani, F. (eds): „Alcohol and Aging - Clinical and Public Health Perspectives“, Springer International Publishing AG, Cham, Switzerland, pp. 90. – 91.
5. Campbell, H.; McAllister, D. A. (2023.): „Population health and epidemiology“ in Penman, I. D.; Ralston, S. H.; Strachan, M. W. J.; Hobson, R. P. (eds): „Davidson's Principles and Practice of Medicine, 24th Edition“, Elsevier Limited, London, UK, pp. 90.
6. Ho, J. J.; Mitton, J. A.; Ristau, J. (2025.): „Substance Use Disorders“ in Papadakis, M. A.; Rabow, M. W.; McQuaid, K. R.; Gandhi, M. (eds): „CURRENT Medical Diagnosis and Treatment 2025, 64th Edition“, McGraw Hill, New York, USA, pp. 1715.
7. Mabuza, M. P. (2020.): „Evaluating International Public Health Issues - Critical Reflections on Diseases and Disasters, Policies and Practices“, Springer Nature Singapore Pte Ltd., Singapore, Singapore, pp. 111. – 112.
8. Nathe, C. N. (2017.): „Dental Public Health & Research - Contemporary Practice for the Dental Hygienist, Fourth Edition“, Pearson Education, Inc., Boston, USA, pp. 9.
9. McKenzie, J. F.; Pinger, R. R.; Seabert, D. M. (2018.): „An Introduction to Community & Public Health, Ninth Edition“, Jones & Bartlett Learning, Burlington, USA, pp. 99. – 100.
10. Jameson, J. L. (2020.): „Routine Disease Screening“ in Jameson, J. L.; Fauci, A. S.; Kasper, D. L.; Hauser, S. L.; Longo, D. L.; Loscalzo, J. (eds): „Harrison's Manual of Medicine, 20th Edition“, McGraw-Hill Education, New York, USA, pp. 1127.
11. Zong, X.; Xi, B. (2022.): „Unhealthy Lifestyle Behaviors During Pregnancy and Offspring Health Risks at Birth and Early Childhood“ in Kelishadi, R. (ed): „Healthy Lifestyle - From Pediatrics to Geriatrics“, Springer Nature Switzerland AG, Cham, Switzerland, pp. 2.
12. Yao, L. (2025.): „Digital Health for an Ageing Society“ in Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) GmbH (ed): „Sustainable Aging - Cases and Cooperation in China and Germany“, Springer-Verlag GmbH, Berlin, Germany, pp. 35. – 36.